


Ask the Lab

Stephen D. Killian, CDT

30 years experience Implantology 43 years experience Crown & Bridge: Pankey/Dawson, Spear, Kois



In This Issue

- * Reduce Implant Costs.
- Screw-retained
 restorations eliminate
 Peri-implantitis caused
 by cement.

Implant Case Tips

Q: Steve, how can I save on implant lab fees, make a more hygienic, screw-retained crown and still have an aesthetic and functional restoration?

A: Screw-retained restorations are back in demand because recent published studies have found long-term failures of implants where Peri-implantitis were caused by cement remaining around the margins of crowns at implant abutments. Simple screw-retained crowns easily eliminate this possibility. Killian Dental has the ability to create smaller screw access holes for these restorations making it easier to fill and hide for an aesthetic restoration that is also exceptionally hygienic.

All implant companies now offer less expensive titanium base screw-retained abutments. You have the option to have us cement the Ti-base abutment to the crown here at the lab using Multilink® Automix or you may cement chairside. We recommend only the Ivolcar Multilink® Automix adhesive cement system in opaque or the Kuraray Panavia V5 adhesive resin cement system in opaque.

We've sharpened our pencil to create pricing and value to fit everyone's budget.

Ti Base with e.max® or Bruxzir® crown (Includes Model and Analog as shown)



Ti Base with Provisional PMMA crown

To see other great money saving and chair-time saving tips, please see our other "Ask the Lab" articles at our website...













67 Peters Canyon Rd • Irvine, California • 92606 • Email: steve@killiandental.com

Call: 949-733-3111 • 800-317-7100







